

EXEMPLAR SOLUTIONS MATHS

Chapter 4 :Determinants

Class
12



Powered by



Chapter 4: Determinants

Exercise 4.3

Short Answer (S.A.)

Using the properties of determinants in Exercises 1 to 6, evaluate:

1.
$$\begin{vmatrix} x^2 - x + 1 & x - 1 \\ x + 1 & x + 1 \end{vmatrix}$$

Solution:

Given,
$$\begin{vmatrix} x^2 - x + 1 & x - 1 \\ x + 1 & x + 1 \end{vmatrix}$$

[Applying $C_1 \rightarrow C_1 - C_2$]

$$\begin{aligned} &= \begin{vmatrix} x^2 - 2x + 2 & x - 1 \\ 0 & x + 1 \end{vmatrix} \\ &= (x^2 - 2x + 2) \cdot (x + 1) - (x - 1) \cdot 0 \\ &= x^3 - 2x^2 + 2x + x^2 - 2x + 2 \\ &= x^3 - x^2 + 2 \end{aligned}$$

2.
$$\begin{vmatrix} a+x & y & z \\ x & a+y & z \\ x & y & a+z \end{vmatrix}$$

Solution:

Given,
$$\begin{vmatrix} a+x & y & z \\ x & a+y & z \\ x & y & a+z \end{vmatrix}$$

[Applying $C_1 \rightarrow C_1 + C_2 + C_3$]

$$\begin{aligned} &= \begin{vmatrix} a+x+y+z & y & z \\ a+x+y+z & a+y & z \\ a+x+y+z & y & a+z \end{vmatrix} \\ &= (a+x+y+z) \begin{vmatrix} 1 & y & z \\ 1 & a+y & z \\ 1 & y & a+z \end{vmatrix} \end{aligned}$$

[Applying $R_2 \rightarrow R_2 - R_1$ and $R_3 \rightarrow R_3 - R_1$]

$$= (a+x+y+z) \begin{vmatrix} 1 & y & z \\ 0 & a & 0 \\ 0 & 0 & a \end{vmatrix}$$

$$= (a+x+y+z) \begin{vmatrix} a & 0 \\ 0 & a \end{vmatrix} = a^2(a+z+x+y)$$

3. $\begin{vmatrix} 0 & xy^2 & xz^2 \\ x^2y & 0 & yz^2 \\ x^2z & zy^2 & 0 \end{vmatrix}$

Solution:

Given, $\begin{vmatrix} 0 & xy^2 & xz^2 \\ x^2y & 0 & yz^2 \\ x^2z & zy^2 & 0 \end{vmatrix}$

[Taking x^2 , y^2 and z^2 common from C_1 , C_2 and C_3 , respectively]

$$= x^2y^2z^2 \begin{vmatrix} 0 & x & x \\ y & 0 & y \\ z & z & 0 \end{vmatrix}$$

[Applying $C_2 \rightarrow C_2 - C_3$]

$$= x^2y^2z^2 \begin{vmatrix} 0 & 0 & x \\ y & -y & y \\ z & z & 0 \end{vmatrix} = x^2y^2z^2 (x(yz + yz))$$

$$= x^2y^2z^2 \cdot (2xyz) = 2x^3y^3z^3$$

4. $\begin{vmatrix} 3x & -x+y & -x+z \\ x-y & 3y & z-y \\ x-z & y-z & 3z \end{vmatrix}$

Solution:

Given,
$$\begin{vmatrix} 3x & -x+y & -x+z \\ x-y & 3y & z-y \\ x-z & y-z & 3z \end{vmatrix}$$

[Applying $C_1 \rightarrow C_1 + C_2 + C_3$]

$$= \begin{vmatrix} x+y+z & -x+y & -x+z \\ x+y+z & 3y & z-y \\ x+y+z & y-z & 3z \end{vmatrix}$$

[Taking $(x + y + z)$ common from column C_1]

$$= (x + y + z) \begin{vmatrix} 1 & -x+y & -x+z \\ 1 & 3y & z-y \\ 1 & y-z & 3z \end{vmatrix}$$

[Applying $R_2 \rightarrow R_2 - R_1$ and $R_3 \rightarrow R_3 - R_1$]

$$= (x + y + z) \begin{vmatrix} 1 & -x+y & -x+z \\ 0 & 2y+x & x-y \\ 0 & x-z & 2z+x \end{vmatrix}$$

[Applying $C_2 \rightarrow C_2 - C_3$]

$$= (x + y + z) \begin{vmatrix} 1 & -x+y & -x+z \\ 0 & 3y & x-y \\ 0 & -3z & 2z+x \end{vmatrix}$$

[Expanding along first column]

$$\begin{aligned} &= (x + y + z) \cdot 1[3y(3z + x) + (3z)(x - y)] \\ &= (x + y + z)(3yz + 3yx + 3xz) \\ &= 3(x + y + z)(xy + yz + zx) \end{aligned}$$

5.
$$\begin{vmatrix} x+4 & x & x \\ x & x+4 & x \\ x & x & x+4 \end{vmatrix}$$

Solution:

Given,
$$\begin{vmatrix} x+4 & x & x \\ x & x+4 & x \\ x & x & x+4 \end{vmatrix}$$

$$= \begin{vmatrix} 3x+4 & 3x+4 & 3x+4 \\ x & x+4 & x \\ x & x & x+4 \end{vmatrix} \quad [\text{Applying } R_1 \rightarrow R_1 + R_2 + R_3]$$

$$= (3x+4) \begin{vmatrix} 1 & 1 & 1 \\ x & x+4 & x \\ x & x & x+4 \end{vmatrix}$$

$$= (3x+4) \begin{vmatrix} 0 & 0 & 1 \\ -4 & 4 & x \\ 0 & -4 & x+4 \end{vmatrix} = 16(3x+4)$$

[Applying $C_1 \rightarrow C_1 - C_2, C_2 \rightarrow C_2 - C_3$]

6.
$$\begin{vmatrix} a-b-c & 2a & 2a \\ 2b & b-c-a & 2b \\ 2c & 2c & c-a-b \end{vmatrix}$$

Solution:

Given,
$$\begin{vmatrix} a-b-c & 2a & 2a \\ 2b & b-c-a & 2b \\ 2c & 2c & c-a-b \end{vmatrix}$$

[Applying $R_1 \rightarrow R_1 + R_2 + R_3$]

$$= \begin{vmatrix} a+b+c & a+b+c & a+b+c \\ 2b & b-c-a & 2b \\ 2c & 2c & c-a-b \end{vmatrix}$$

[Taking $(a+b+c)$ common from the first row]

$$= (a+b+c) \begin{vmatrix} 1 & 1 & 1 \\ 2b & b-c-a & 2b \\ 2c & 2c & c-a-b \end{vmatrix}$$

[Applying $C_1 \rightarrow C_1 - C_3$ and $C_2 \rightarrow C_2 - C_3$]

$$= (a+b+c) \begin{vmatrix} 0 & 0 & 1 \\ 0 & -(a+b+c) & 2b \\ a+b+c & a+b+c & c-a-b \end{vmatrix}$$

Lastly, expanding along R_1 , we have

$$\begin{aligned} &= (a+b+c) [1 \times 0 + (a+b+c)^2] \\ &= (a+b+c)^3 \end{aligned}$$

Using the properties of determinants in Exercises 7 to 9, prove that:

7.
$$\begin{vmatrix} y^2 z^2 & yz & y+z \\ z^2 x^2 & zx & z+x \\ x^2 y^2 & xy & x+y \end{vmatrix} = 0$$

Solution:

From the given,

[Multiplying R_1, R_2, R_3 by x, y, z respectively]

$$= \frac{1}{xyz} \begin{vmatrix} xy^2 z^2 & xyz & xy + xz \\ x^2 yz^2 & xyz & yz + xy \\ x^2 y^2 z & xyz & xz + yz \end{vmatrix}$$

Next

[Taking (xyz) common from C_1 and C_2]

$$= \frac{1}{xyz} (xyz)^2 \begin{vmatrix} yz & 1 & xy + xz \\ xz & 1 & yz + xy \\ xy & 1 & xz + yz \end{vmatrix}$$

Then,

[Applying $C_3 \rightarrow C_3 + C_1$]

$$= xyz \begin{vmatrix} yz & 1 & xy + yz + zx \\ xz & 1 & xy + yz + zx \\ xy & 1 & xy + yz + zx \end{vmatrix}$$

Lastly,

[Taking $(xy + yz + zx)$ common from C_3]

$$= xyz (xy + yz + zx) \begin{vmatrix} yz & 1 & 1 \\ xz & 1 & 1 \\ xy & 1 & 1 \end{vmatrix}$$

$$= 0 \quad [\because C_2 \text{ and } C_3 \text{ are identical}]$$

$$8. \begin{vmatrix} y+z & z & y \\ z & z+x & x \\ y & x & x+y \end{vmatrix} = 4xyz$$

Solution:

Given, $\begin{vmatrix} y+z & z & y \\ z & z+x & x \\ y & x & x+y \end{vmatrix}$

[Applying $C_1 \rightarrow C_1 + C_2 + C_3$]

$$= \begin{vmatrix} 2(y+z) & z & y \\ 2(z+x) & z+x & x \\ 2(y+x) & x & x+y \end{vmatrix}$$

$$= 2 \begin{vmatrix} y+z & z & y \\ z+x & z+x & x \\ x+y & x & x+y \end{vmatrix}$$

Now,

[Applying $C_1 \rightarrow C_1 - C_2$]

$$= 2 \begin{vmatrix} y & z & y \\ 0 & z+x & x \\ y & x & x+y \end{vmatrix}$$

Next,

[Applying $C_3 \rightarrow C_3 - C_1$]

$$= 2 \begin{vmatrix} y & z & 0 \\ 0 & z+x & x \\ y & x & x \end{vmatrix}$$

Lastly,

[Applying $R_3 \rightarrow R_3 - R_1$]

$$= 2 \begin{vmatrix} y & z & 0 \\ 0 & z+x & x \\ 0 & x-z & x \end{vmatrix}$$

$$= 2y[(z+x)x - x(x-z)] = 2y[2xz] = 4xyz$$

$$9. \begin{vmatrix} a^2 + 2a & 2a + 1 & 1 \\ 2a + 1 & a + 2 & 1 \\ 3 & 3 & 1 \end{vmatrix} = (a - 1)^3$$

9.

Solution:

Given,
$$\begin{vmatrix} a^2 + 2a & 2a + 1 & 1 \\ 2a + 1 & a + 2 & 1 \\ 3 & 3 & 1 \end{vmatrix}$$

[Applying $R_1 \rightarrow R_1 - R_2$ and $R_2 \rightarrow R_2 - R_3$]

$$= \begin{vmatrix} a^2 - 1 & a - 1 & 0 \\ 2a - 2 & a - 1 & 0 \\ 3 & 3 & 1 \end{vmatrix}$$

Now,

[Taking $(a - 1)$ common from R_1 and R_2]

$$(a - 1)^2 \begin{vmatrix} a + 1 & 1 & 0 \\ 2 & 1 & 0 \\ 3 & 3 & 1 \end{vmatrix}$$

Finally,

[Expanding along R_3]

$$= (a - 1)^2 [1 \cdot (a + 1) - 2] = (a - 1)^3$$

$$\begin{vmatrix} 1 & \cos C & \cos B \\ \cos C & 1 & \cos A \\ \cos B & \cos A & 1 \end{vmatrix} = 0$$

10. If $A + B + C = 0$, then prove that

Solution:

Given,
$$\begin{vmatrix} 1 & \cos C & \cos B \\ \cos C & 1 & \cos A \\ \cos B & \cos A & 1 \end{vmatrix}$$

On finding the determinant, we have

$$\begin{aligned} &= 1(1 - \cos^2 A) - \cos C(\cos C - \cos A \cdot \cos B) + \cos B(\cos C \cdot \cos A - \cos^2 B) \\ &= \sin^2 A - \cos^2 C + \cos A \cdot \cos B \cdot \cos C + \cos A \cdot \cos B \cdot \cos C - \cos^2 B \\ &= \sin^2 A - \cos^2 B + 2 \cos A \cdot \cos B \cdot \cos C - \cos^2 C \\ &= -\cos(A + B) \cdot \cos(A - B) + 2 \cos A \cdot \cos B \cdot \cos C - \cos^2 C \\ &\quad [\because \cos^2 B - \sin^2 A = \cos(A + B) \cdot \cos(A - B)] \end{aligned}$$

$$\begin{aligned}
&= -\cos(-C) \cdot \cos(A-B) + \cos C (2 \cos A \cdot \cos B - \cos C) \\
&= -\cos C (\cos A \cdot \cos B + \sin A \cdot \sin B - 2 \cos A \cdot \cos B + \cos C) \\
&= \cos C (\cos A \cdot \cos B - \sin A \cdot \sin B - \cos C) \\
&= \cos C [\cos(A+B) - \cos C] \\
&= \cos C (\cos C - \cos C) \quad (\text{As } \cos C = \cos(A+B)) \\
&= 0
\end{aligned}$$

11. If the co-ordinates of the vertices of an equilateral triangle with sides of length 'a' are (x_1, y_1) ,

$(x_2, y_2), (x_3, y_3)$, then
$$\begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}^2 = \frac{3a^4}{4}.$$

Solution:

We know that, the area of a triangle with vertices $(x_1, y_1), (x_2, y_2)$ and (x_3, y_3) is given by

$$\Delta = \frac{1}{2} \begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}$$

Also, we know the area of an equilateral triangle with side a is given by

$$\Delta = \frac{\sqrt{3}}{4} a^2$$

Hence,

$$\frac{1}{2} \begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix} = \frac{\sqrt{3}}{4} a^2$$

On squaring both the sides, we get

$$\Rightarrow \Delta^2 = \frac{1}{4} \begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}^2 = \frac{3}{16} a^4$$

or
$$\begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}^2 = \frac{3a^4}{4}$$

12. Find the value of θ satisfying
$$\begin{bmatrix} 1 & 1 & \sin 3\theta \\ -4 & 3 & \cos 2\theta \\ 7 & -7 & -2 \end{bmatrix} = 0.$$

Solution:

Given,

$$\begin{vmatrix} 1 & 1 & \sin 3\theta \\ -4 & 3 & \cos 2\theta \\ 7 & -7 & -2 \end{vmatrix} = 0$$

On expanding along C_3 , we have

$$\sin 3\theta \times (28 - 21) - \cos 2\theta \times (-7 - 7) - 2(3 + 4) = 0$$

$$7 \sin 3\theta + 14 \cos 2\theta - 14 = 0$$

$$\sin 3\theta + 2 \cos 2\theta - 2 = 0$$

$$(3 \sin \theta - 4 \sin^3 \theta) + 2(1 - 2 \sin^2 \theta) - 2 = 0$$

$$4 \sin^3 \theta - 4 \sin^2 \theta + 3 \sin \theta = 0$$

$$\sin \theta (4 \sin^2 \theta - 4 \sin \theta + 3) = 0$$

$$\sin \theta (4 \sin^2 \theta - 6 \sin \theta + 2 \sin \theta + 3) = 0$$

$$\sin \theta (2 \sin \theta + 1)(2 \sin \theta - 3) = 0$$

$$\sin \theta = 0 \text{ or } \sin \theta = -1/2 \text{ or } \sin \theta = 3/2$$

$$\theta = n\pi \text{ or } \theta = m\pi + (-1)^n \left(-\frac{\pi}{6} \right); m, n \in \mathbb{Z}$$

$$\sin \theta = \frac{-3}{2} \text{ is not possible}$$

13. If $\begin{bmatrix} 4-x & 4+x & 4+x \\ 4+x & 4-x & 4+x \\ 4+x & 4+x & 4-x \end{bmatrix}$, then find values of x .

Solution:

Given,

$$\begin{vmatrix} 4-x & 4+x & 4+x \\ 4+x & 4-x & 4+x \\ 4+x & 4+x & 4-x \end{vmatrix} = 0$$

[Applying $R_1 \rightarrow R_1 + R_2 + R_3$], we have

$$\Rightarrow \begin{vmatrix} 12+x & 12+x & 12+x \\ 4+x & 4-x & 4+x \\ 4+x & 4+x & 4-x \end{vmatrix} = 0$$

Now,

[Taking $(12+x)$ common from R_1]

$$\Rightarrow (12+x) \begin{vmatrix} 1 & 1 & 1 \\ 4+x & 4-x & 4+x \\ 4+x & 4+x & 4-x \end{vmatrix} = 0$$

Next,

[Applying $C_1 \rightarrow C_1 - C_3$ and $C_2 \rightarrow C_2 - C_3$]

$$\Rightarrow (12+x) \begin{vmatrix} 0 & 0 & 1 \\ 0 & -2x & 4+x \\ 2x & 2x & 4-x \end{vmatrix} = 0$$

$$\Rightarrow (12+x)(0 - (-2x)(2x)) = 0$$

$$(12+x)(4x^2) = 0$$

Hence, $x = -12, 0$

14. If $a_1, a_2, a_3, \dots, a_r$ are in G.P., then prove that the determinant

$$\begin{vmatrix} a_{r+1} & a_{r+5} & a_{r+9} \\ a_{r+7} & a_{r+11} & a_{r+15} \\ a_{r+11} & a_{r+17} & a_{r+21} \end{vmatrix} \text{ is independent of } r.$$

Solution:

We know that,

$$a_{r+1} = AR^{(r+1)-1} = AR^r;$$

where $a_r = r$ th term of G.P.,

A = First term of G.P.

and R = Common ratio of G.P.

Now,

$$\begin{vmatrix} a_{r+1} & a_{r+5} & a_{r+9} \\ a_{r+7} & a_{r+11} & a_{r+15} \\ a_{r+11} & a_{r+17} & a_{r+21} \end{vmatrix} = \begin{vmatrix} AR^r & AR^{r+4} & AR^{r+8} \\ AR^{r+6} & AR^{r+10} & AR^{r+14} \\ AR^{r+10} & AR^{r+16} & AR^{r+20} \end{vmatrix}$$

[Taking AR^r , AR^{r+6} and AR^{r+10} common from R_1 , R_2 and R_3 , respectively]

$$= AR^r \cdot AR^{r+6} \cdot AR^{r+10} \begin{vmatrix} 1 & AR^4 & AR^8 \\ 1 & AR^4 & AR^8 \\ 1 & AR^6 & AR^{10} \end{vmatrix}$$

$$= 0 \quad [\text{As } R_1 \text{ and } R_2 \text{ are identical}]$$

Hence, the determinant is independent of r .

15. Show that the points $(a + 5, a - 4)$, $(a - 2, a + 3)$ and (a, a) do not lie on a straight line for any value of a .

Solution:

Given points are $(a + 5, a - 4)$, $(a - 2, a + 3)$ and (a, a) .

Now, we have to prove that these points do not lie on a straight line.

So, if we prove that these points form a triangle then it can't lie on a straight line.

$$\text{Area, } \Delta = \frac{1}{2} \begin{vmatrix} a+5 & a-4 & 1 \\ a-2 & a+3 & 1 \\ a & a & 1 \end{vmatrix}$$

[Applying $R_1 \rightarrow R_1 - R_3$ and $R_2 \rightarrow R_2 - R_3$]

$$= \frac{1}{2} \begin{vmatrix} 5 & -4 & 0 \\ -2 & 3 & 0 \\ a & a & 1 \end{vmatrix} = \frac{1}{2} [(1 \cdot (15 - 8))] = \frac{7}{2} \neq 0$$

Hence, the given points form a triangle and can't lie on a straight line.

16. Show that the ΔABC is an isosceles triangle if the determinant

$$\Delta = \begin{vmatrix} 1 & 1 & 1 \\ 1 + \cos A & 1 + \cos B & 1 + \cos C \\ \cos^2 A + \cos A & \cos^2 B + \cos B & \cos^2 C + \cos C \end{vmatrix} = 0$$

Solution:

Given,

$$\Delta = \begin{vmatrix} 1 & 1 & 1 \\ 1 + \cos A & 1 + \cos B & 1 + \cos C \\ \cos^2 A + \cos A & \cos^2 B + \cos B & \cos^2 C + \cos C \end{vmatrix} = 0$$

[Applying $C_1 \rightarrow C_1 - C_3$ and $C_2 \rightarrow C_2 - C_3$]

$$\Rightarrow \begin{vmatrix} 0 & 0 & 1 \\ \cos A - \cos C & \cos B - \cos C & 1 + \cos C \\ \cos^2 A + \cos A - \cos^2 C - \cos C & \cos^2 B + \cos B - \cos^2 C - \cos C & \cos^2 C + \cos C \end{vmatrix} = 0$$

Now,

[Taking $(\cos A - \cos C)$ common from C_1 and $(\cos B - \cos C)$ common from C_2]

$\Rightarrow (\cos A - \cos C)(\cos B - \cos C) \times$

$$\begin{vmatrix} 0 & 0 & 1 \\ 1 & 1 & 1 + \cos C \\ \cos A + \cos C + 1 & \cos B + \cos C + 1 & \cos^2 C + \cos C \end{vmatrix} = 0$$

[Applying $C_1 \rightarrow C_1 - C_2$]

$\Rightarrow (\cos A - \cos C)(\cos B - \cos C) \times$

$$\begin{vmatrix} 0 & 0 & 1 \\ 0 & 1 & 1 + \cos C \\ \cos A - \cos B & \cos B + \cos C + 1 & \cos^2 C + \cos C \end{vmatrix} = 0$$

So,

$$(\cos A - \cos C)(\cos B - \cos C)(\cos B - \cos A) = 0$$

$$\cos A = \cos C \text{ or } \cos B = \cos C \text{ or } \cos B = \cos A$$

$$A = C \text{ or } B = C \text{ or } B = A$$

Hence, ΔABC is an isosceles triangle.

17. Find A^{-1} if $A = \begin{bmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{bmatrix}$ and show that $A^{-1} = (A^2 - 3I)/2$.

Solution:

Given,

$$A = \begin{bmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{bmatrix}$$

Co-factors are:

$$A_{11} = -1, A_{12} = 1, A_{13} = 1,$$

$$A_{21} = 1, A_{22} = -1, A_{23} = 1,$$

$$A_{31} = 1, A_{32} = 1, A_{33} = -1$$

$$\text{Now, } \text{adj } A = \begin{bmatrix} -1 & 1 & 1 \\ 1 & -1 & 1 \\ 1 & 1 & -1 \end{bmatrix}^T = \begin{bmatrix} -1 & 1 & 1 \\ 1 & -1 & 1 \\ 1 & 1 & -1 \end{bmatrix}$$

$$|A| = 0 - 1(-1) + 1 \cdot 1 = 2$$

$$\text{Thus, } A^{-1} = \frac{\text{adj } A}{|A|} = \frac{1}{2} \begin{bmatrix} -1 & 1 & 1 \\ 1 & -1 & 1 \\ 1 & 1 & -1 \end{bmatrix}$$

Now,

$$A^2 = \begin{bmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{bmatrix} \cdot \begin{bmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{bmatrix} = \begin{bmatrix} 2 & 1 & 1 \\ 1 & 2 & 1 \\ 1 & 1 & 2 \end{bmatrix}$$

Hence,

$$\begin{aligned}\frac{A^2 - 3I}{2} &= \frac{1}{2} \left\{ \begin{bmatrix} 2 & 1 & 1 \\ 1 & 2 & 1 \\ 1 & 1 & 2 \end{bmatrix} - \begin{bmatrix} 3 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 3 \end{bmatrix} \right\} \\ &= \frac{1}{2} \begin{bmatrix} -1 & 1 & 1 \\ 1 & -1 & 1 \\ 1 & 1 & -1 \end{bmatrix} = A^{-1}\end{aligned}$$

Hence proved.

Long Answer (L.A.)

18. If $A = \begin{bmatrix} 1 & 2 & 0 \\ -2 & -1 & -2 \\ 0 & -1 & 1 \end{bmatrix}$, find A^{-1} .

Using A^{-1} , solve the system of linear equations
 $x - 2y = 10$, $2x - y - z = 8$, $-2y + z = 7$.

Solution:

Given,

$$A = \begin{bmatrix} 1 & 2 & 0 \\ -2 & -1 & -2 \\ 0 & -1 & 1 \end{bmatrix}$$

Co-factors are:

$$\begin{aligned}A_{11} &= -3, A_{12} = 2, A_{13} = 2, \\ A_{21} &= -2, A_{22} = 1, A_{23} = 1, \\ A_{31} &= -4, A_{32} = 2, A_{33} = 3\end{aligned}$$

Now,

$$\text{adj } A = \begin{bmatrix} -3 & 2 & 2 \\ -2 & 1 & 1 \\ -4 & 2 & 3 \end{bmatrix}^T = \begin{bmatrix} -3 & -2 & -4 \\ 2 & 1 & 2 \\ 2 & 1 & 3 \end{bmatrix}$$

$$|A| = 1(-3) - 2(-2) + 0 = -1$$

Hence,

$$A^{-1} = \frac{\text{adj } A}{|A|} = \begin{bmatrix} -3 & -2 & -4 \\ 2 & 1 & 2 \\ 2 & 1 & 3 \end{bmatrix}$$

Now, the system of linear equations are

$$\begin{aligned}x - 2y &= 10, \\ 2x - y - z &= 8\end{aligned}$$

and, $-2y + z = 7$

Or $AX = B$

$$\begin{bmatrix} 1 & -2 & 0 \\ 2 & -1 & -1 \\ 0 & -2 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 10 \\ 8 \\ 7 \end{bmatrix}$$

where, $A = \begin{bmatrix} 1 & -2 & 0 \\ 2 & -1 & -1 \\ 0 & -2 & 1 \end{bmatrix}$, $X = \begin{bmatrix} x \\ y \\ z \end{bmatrix}$ and $B = \begin{bmatrix} 10 \\ 8 \\ 7 \end{bmatrix}$

Thus, $X = A^{-1} B$

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} -3 & 2 & 2 \\ -2 & 1 & 1 \\ -4 & 2 & 3 \end{bmatrix} \begin{bmatrix} 10 \\ 8 \\ 7 \end{bmatrix} = \begin{bmatrix} -30 + 16 + 14 \\ -20 + 8 + 7 \\ -40 + 16 + 21 \end{bmatrix} = \begin{bmatrix} 0 \\ -5 \\ -3 \end{bmatrix}$$

$\therefore x = 0, y = -5$ and $z = -3$

19. Using matrix method, solve the system of equations

$3x + 2y - 2z = 3, x + 2y + 3z = 6, 2x - y + z = 2.$

Solution:

Given system of equations are:

$3x + 2y - 2z = 3$

$x + 2y + 3z = 6$ and

$2x - y + z = 2$

Or,

$AX = B$

So,

$$\begin{bmatrix} 3 & 2 & -2 \\ 1 & 2 & 3 \\ 2 & -1 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 3 \\ 6 \\ 2 \end{bmatrix}$$

Hence, $X = A^{-1} B$

Now, for A^{-1} the co-factors are

$A_{11} = 5, A_{12} = 5, A_{13} = -5,$

$A_{21} = 0, A_{22} = 7, A_{23} = 7,$

$A_{31} = 10, A_{32} = -11$ and $A_{33} = 4$

So,

$$\text{adj } A = \begin{bmatrix} 5 & 5 & -5 \\ 0 & 7 & 7 \\ 10 & -11 & 4 \end{bmatrix}^T = \begin{bmatrix} 5 & 0 & 10 \\ 5 & 7 & -11 \\ -5 & 7 & 4 \end{bmatrix}$$

$$|A| = 3(5) + 2(5) + (-2)(-5) = 35$$

Thus,

$$A^{-1} = \frac{\text{adj } A}{|A|} = \frac{1}{35} \begin{bmatrix} 5 & 0 & 10 \\ 5 & 7 & -11 \\ -5 & 7 & 4 \end{bmatrix}$$

Now, $X = A^{-1}B$

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \frac{1}{35} \begin{bmatrix} 5 & 0 & 10 \\ 5 & 7 & -11 \\ -5 & 7 & 4 \end{bmatrix} \begin{bmatrix} 3 \\ 6 \\ 2 \end{bmatrix} = \frac{1}{35} \begin{bmatrix} 15 + 20 \\ 15 + 42 - 22 \\ -15 + 42 + 8 \end{bmatrix} = \frac{1}{35} \begin{bmatrix} 35 \\ 35 \\ 35 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$$

Therefore, $x = 1, y = 1$ and $z = 1$

20. Given $A = \begin{bmatrix} 2 & 2 & -4 \\ -4 & 2 & -4 \\ 2 & -1 & 5 \end{bmatrix}, B = \begin{bmatrix} 1 & -1 & 0 \\ 2 & 3 & 4 \\ 0 & 1 & 2 \end{bmatrix}$, find BA and use this to solve the system of

equations $y + 2z = 7, x - y = 3, 2x + 3y + 4z = 17$.

Solution:

Given,

$$A = \begin{bmatrix} 2 & 2 & -4 \\ -4 & 2 & -4 \\ 2 & -1 & 5 \end{bmatrix} \text{ and } B = \begin{bmatrix} 1 & -1 & 0 \\ 2 & 3 & 4 \\ 0 & 1 & 2 \end{bmatrix}$$

Now,

$$BA = \begin{bmatrix} 1 & -1 & 0 \\ 2 & 3 & 4 \\ 0 & 1 & 2 \end{bmatrix} \begin{bmatrix} 2 & 2 & -4 \\ -4 & 2 & -4 \\ 2 & -1 & 5 \end{bmatrix} = \begin{bmatrix} 6 & 0 & 0 \\ 0 & 6 & 0 \\ 0 & 0 & 6 \end{bmatrix} = 6I$$

Thus,

$$B^{-1} = \frac{A}{6} = \frac{1}{6} \begin{bmatrix} 2 & 2 & -4 \\ -4 & 2 & -4 \\ 2 & -1 & 5 \end{bmatrix}$$

Given system of equations are:

$$x - y = 3, 2x + 3y + 4z = 17 \text{ and } y + 2z = 7$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 2 & 3 & 4 \\ 0 & 1 & 2 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 3 \\ 17 \\ 7 \end{bmatrix}$$

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 & -1 & 0 \\ 2 & 3 & 4 \\ 0 & 1 & 2 \end{bmatrix}^{-1} \begin{bmatrix} 3 \\ 17 \\ 7 \end{bmatrix} = \frac{1}{6} \begin{bmatrix} 2 & 2 & -4 \\ -4 & 2 & -4 \\ 2 & -1 & 5 \end{bmatrix} \begin{bmatrix} 3 \\ 17 \\ 7 \end{bmatrix}$$

$$= \frac{1}{6} \begin{bmatrix} 6 + 34 - 28 \\ -12 + 34 - 28 \\ 6 - 17 + 35 \end{bmatrix} = \frac{1}{6} \begin{bmatrix} 12 \\ -6 \\ 24 \end{bmatrix} = \begin{bmatrix} 2 \\ -1 \\ 4 \end{bmatrix}$$

Therefore,
 $x = 2, y = -1$ and $z = 4$

21. If $a + b + c \neq 0$ and $\begin{vmatrix} a & b & c \\ b & c & a \\ c & a & b \end{vmatrix} = 0$, then prove that $a = b = c$.

Solution:

Let $\Delta = \begin{vmatrix} a & b & c \\ b & c & a \\ c & a & b \end{vmatrix}$

[Applying $R_1 \rightarrow R_1 + R_2 + R_3$]

$$\Delta = \begin{vmatrix} a+b+c & a+b+c & a+b+c \\ b & c & a \\ c & a & b \end{vmatrix} = (a+b+c) \begin{vmatrix} 1 & 1 & 1 \\ b & c & a \\ c & a & b \end{vmatrix}$$

Now,

[Applying $C_1 \rightarrow C_1 - C_3$ and $C_2 \rightarrow C_2 - C_3$]

$$\Delta = (a+b+c) \begin{vmatrix} 0 & 0 & 1 \\ b-a & c-a & a \\ c-b & a-b & b \end{vmatrix}$$

[Expanding along R_1]

$$\begin{aligned} &= (a+b+c)[1(b-a)(a-b) - (c-a)(c-b)] \\ &= (a+b+c)(ba - b^2 - a^2 + ab - c^2 + cb + ac - ab) \\ &= -(a+b+c)(a^2 + b^2 + c^2 - ab - bc - ca) \\ &= -\frac{1}{2} (a+b+c)[2a^2 + 2b^2 + 2c^2 - 2ab - 2bc - 2ca] \\ &= -\frac{1}{2} (a+b+c)[(a^2 + b^2 - 2ab) + (b^2 + c^2 - 2bc) + (c^2 + a^2 - 2ac)] \\ &= -\frac{1}{2} (a+b+c)[(a-b)^2 + (b-c)^2 + (c-a)^2] \end{aligned}$$

Given, $\Delta = 0$

$$\frac{-1}{2} (a + b + c) [(a - b)^2 + (b - c)^2 + (c - a)^2] = 0$$

$$(a - b)^2 + (b - c)^2 + (c - a)^2 \neq 0 \quad [\because a + b + c \neq 0, \text{ given}]$$

$$a - b \neq b - c = c - a = 0$$

$$a = b = c$$

22. Prove that $\begin{vmatrix} bc - a^2 & ca - b^2 & ab - c^2 \\ ca - b^2 & ab - c^2 & bc - a^2 \\ ab - c^2 & bc - a^2 & ca - b^2 \end{vmatrix}$ is divisible by $a + b + c$ and find the quotient.

Solution:

$$\Delta = \begin{vmatrix} bc - a^2 & ca - b^2 & ab - c^2 \\ ca - b^2 & ab - c^2 & bc - a^2 \\ ab - c^2 & bc - a^2 & ca - b^2 \end{vmatrix}$$

Now, [Applying $C_1 \rightarrow C_1 - C_2$ and $C_2 \rightarrow C_2 - C_3$]

$$\Delta = \begin{vmatrix} bc - a^2 - ca + b^2 & ca - b^2 - ab + c^2 & ab - c^2 \\ ca - b^2 - ab + c^2 & ab - c^2 - bc + a^2 & bc - a^2 \\ ab - c^2 - bc + a^2 & bc - a^2 - ca + b^2 & ca - b^2 \end{vmatrix}$$

$$= \begin{vmatrix} (b - a)(a + b + c) & (c - b)(a + b + c) & ab - c^2 \\ (c - b)(a + b + c) & (a - c)(a + b + c) & bc - a^2 \\ (a - c)(a + b + c) & (b - a)(a + b + c) & ca - b^2 \end{vmatrix}$$

Next,

[Taking $(a + b + c)$ common from C_1 and C_2 each]

$$\Delta = (a + b + c)^2 \begin{vmatrix} b - a & c - b & ab - c^2 \\ c - b & a - c & bc - a^2 \\ a - c & b - a & ca - b^2 \end{vmatrix}$$

Then,

[Applying $R_1 \rightarrow R_1 + R_2 + R_3$]

$$\Delta = (a + b + c)^2 \begin{vmatrix} 0 & 0 & ab + bc + ca - (a^2 + b^2 + c^2) \\ c - b & a - c & bc - a^2 \\ a - c & b - a & ca - b^2 \end{vmatrix}$$

Lastly,

[Expanding along R_1]

$$\begin{aligned}\Delta &= (a+b+c)^2[ab+bc+ca-(a^2+b^2+c^2)][(c-b)(b-a)-(a-c)^2] \\ &= (a+b+c)^2(ab+bc+ca-a^2-b^2-c^2) \times \\ &\quad (bc-ac-b^2+ab-a^2-c^2+2ac) \\ &= (a+b+c)[(a+b+c)(a^2+b^2+c^2-ab-bc-ca)^2]\end{aligned}$$

Therefore, given determinant is divisible by $(a+b+c)$ and quotient is $(a+b+c)(a^2+b^2+c^2-ab-bc-ca)^2$

23. If $x+y+z=0$, prove that

$$\begin{vmatrix} xa & yb & zc \\ yc & za & xb \\ zb & xe & ya \end{vmatrix} = xyz \begin{vmatrix} a & b & c \\ c & a & b \\ b & c & a \end{vmatrix}$$

Solution:

Taking,

$$\text{L.H.S.} = \begin{vmatrix} xa & yb & zc \\ yc & za & xb \\ zb & xc & ya \end{vmatrix}$$

[Expanding]

$$\begin{aligned}&= xa(a^2yz - x^2bc) - yb(y^2ac - b^2xz) + zc(c^2xy - z^2ab) \\ &= xyz a^3 - x^3 abc - y^3 abc + b^3 xyz + c^3 xyz - z^3 abc \\ &= xyz(a^3 + b^3 + c^3) - abc(x^3 + y^3 + z^3) \\ &= xyz(a^3 + b^3 + c^3) - abc(3xyz) \\ &\quad [\because x+y+z=0 \Rightarrow x^3 + y^3 + z^3 - 3xyz] \\ &= xyz(a^3 + b^3 + c^3 - 3abc)\end{aligned}$$

$$= xyz \begin{vmatrix} a & b & c \\ c & a & b \\ b & c & a \end{vmatrix} = \text{R.H.S.}$$

Hence proved.

Objective Type Questions (M.C.Q.)

Choose the correct answer from given four options in each of the Exercises from 24 to 37.

24. If $\begin{vmatrix} 2x & 5 \\ 8 & x \end{vmatrix} = \begin{vmatrix} 6 & -2 \\ 7 & 3 \end{vmatrix}$, then, value of x is

- (A) 3 (B) ± 3 (C) ± 6 (D) 6

Solution:

Option (C) ± 6

From the given,

On equating the determinants, we have

$$2x^2 - 40 = 18 + 14$$

$$2x^2 = 72$$

$$x^2 = 36$$

Thus, $x = \pm 6$

25. The value of determinant

$$\begin{vmatrix} a-b & b+c & a \\ b-a & c+a & b \\ c-a & a+b & c \end{vmatrix}$$

- (A) $a^3 + b^3 + c^3$ (B) $3bc$ (C) $a^3 + b^3 + c^3 - 3abc$ (D) none of these

Solution:

Option (C) $a^3 + b^3 + c^3 - 3abc$

Given,

$$\Delta = \begin{vmatrix} a-b & b+c & a \\ b-a & c+a & b \\ c-a & a+b & c \end{vmatrix}$$

[Applying $C_1 \rightarrow C_1 - C_3$]

$$= \begin{vmatrix} -b & b+c & a \\ -c & c+a & b \\ -a & a+b & c \end{vmatrix}$$

[Applying $C_2 \rightarrow C_2 + C_1$]

$$\begin{aligned} &= \begin{vmatrix} -b & c & a \\ -c & a & b \\ -a & b & c \end{vmatrix} = - \begin{vmatrix} b & c & a \\ c & a & b \\ a & b & c \end{vmatrix} \\ &= -[b(ac - b^2) - c(c^2 - ab) + a(bc - a^2)] \\ &= a^3 + b^3 + c^3 - 3abc \end{aligned}$$

26. The area of a triangle with vertices $(-3, 0)$, $(3, 0)$ and $(0, k)$ is 9 sq. units. The value of k will be

- (A) 9 (B) 3 (C) -9 (D) 6

Solution:

Option (B) 3

We know that, the area of a triangle with vertices (x_1, y_1) , (x_2, y_2) and (x_3, y_3) is given by

$$\Delta = \frac{1}{2} \begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}$$

Area of triangle with vertices $(-3, 0)$, $(3, 0)$ and $(0, k)$ is

$$\Delta = \frac{1}{2} \begin{vmatrix} -3 & 0 & 1 \\ 3 & 0 & 1 \\ 0 & k & 1 \end{vmatrix} = 9 \quad (\text{given})$$

$$[-3(-k) - 0 + 1(3k)] = \pm 18$$

$$6k = \pm 18$$

Thus,

$$k = \pm \frac{18}{6} = \pm 3$$

27. The determinant $\begin{vmatrix} b^2 - ab & b - c & bc - ac \\ ab - a^2 & a - b & b^2 - ab \\ bc - ac & c - a & ab - a^2 \end{vmatrix}$ equals

(A) $abc(b-c)(c-a)(a-b)$

(B) $(b-c)(c-a)(a-b)$

(C) $(a+b+c)(b-c)(c-a)(a-b)$

(D) None of these

Solution:

Option (D)

Given,

$$\begin{vmatrix} b^2 - ab & b - c & bc - ac \\ ab - a^2 & a - b & b^2 - ab \\ bc - ac & c - a & ab - a^2 \end{vmatrix}$$

$$= \begin{vmatrix} b(b-a) & b-c & c(b-a) \\ a(b-a) & a-b & b(b-a) \\ c(b-a) & c-a & a(b-a) \end{vmatrix}$$

Now, [Taking $(b-a)$ common from C_1 and C_3 each]

$$= (b-a)^2 \begin{vmatrix} b & b-c & c \\ a & a-b & b \\ c & c-a & a \end{vmatrix}$$

[Applying $C_2 \rightarrow C_2 + C_3$]

$$= (b-a)^2 \begin{vmatrix} b & b & c \\ a & a & b \\ c & c & a \end{vmatrix}$$

$$= 0 \quad [\text{as } C_1 \text{ and } C_2 \text{ are identical}]$$

28. The number of distinct real roots of

$$\begin{vmatrix} \sin x & \cos x & \cos x \\ \cos x & \sin x & \cos x \\ \cos x & \cos x & \sin x \end{vmatrix} = 0 \text{ in the interval } -\pi/4 \leq x \leq \pi/4 \text{ is}$$

(A) 0

(B) 2

(C) 1

(D) 3

Solution:

Option (C) 1

Given, $\begin{vmatrix} \sin x & \cos x & \cos x \\ \cos x & \sin x & \cos x \\ \cos x & \cos x & \sin x \end{vmatrix} = 0$

Applying $C_1 \rightarrow C_1 + C_2 + C_3$, we get

$$\begin{vmatrix} 2 \cos x + \sin x & \cos x & \cos x \\ 2 \cos x + \sin x & \sin x & \cos x \\ 2 \cos x + \sin x & \cos x & \sin x \end{vmatrix} = 0$$

$$(2 \cos x + \sin x) \begin{vmatrix} 1 & \cos x & \cos x \\ 1 & \sin x & \cos x \\ 1 & \cos x & \sin x \end{vmatrix} = 0$$

Now,

Applying $R_2 \rightarrow R_2 - R_1$ and $R_3 \rightarrow R_3 - R_1$

$$(2 \cos x + \sin x) \begin{vmatrix} 1 & \cos x & \cos x \\ 0 & \sin x - \cos x & 0 \\ 0 & 0 & \sin x - \cos x \end{vmatrix} = 0$$

$$(2 \cos x + \sin x) [1 \cdot (\sin x - \cos x)^2] = 0 \quad (\text{expanding along } C_1)$$

$$(2 \cos x + \sin x)(\sin x - \cos x)^2 = 0$$

$$2 \cos x = -\sin x \text{ or } \sin x = \cos x$$

$$\tan x = -2, \text{ which is not possible as for } -\frac{\pi}{4} \leq x \leq \frac{\pi}{4}, \text{ we get } -1 \leq \tan x \leq 1.$$

$$\text{or, } \tan x = 1$$

$$\text{Thus, } x = \frac{\pi}{4}$$

Therefore, only one real root exist.

29. If A, B and C are angles of a triangle, then the determinant to

$$\begin{vmatrix} -1 & \cos C & \cos B \\ \cos C & -1 & \cos A \\ \cos B & \cos A & -1 \end{vmatrix} \text{ is equal}$$

(A) 0 (B) -1 (C) 1 (D) None of these

Solution:

Option (A) 0

Given,

$$\Delta = \begin{vmatrix} -1 & \cos C & \cos B \\ \cos C & -1 & \cos A \\ \cos B & \cos A & -1 \end{vmatrix}$$

On expanding the determinant, we get

$$\Delta = -1 + 2 \cos A \cos B \cos C + \cos^2 A + \cos^2 B + \cos^2 C$$

Now, $2 \cos^2 A + 2 \cos^2 B + 2 \cos^2 C$

$$= 1 + \cos 2A + 1 + \cos 2B + 1 + \cos 2C$$

$$= 3 + (\cos 2A + \cos 2B + \cos 2C)$$

$$= 3 + (\cos 2A + \cos 2B) + \cos 2C$$

$$= 3 + 2 \cos(A+B) \cos(A-B) + 2 \cos^2 C - 1$$

$$= 2 + 2 \cos(\pi - C) \cos(A-B) + 2 \cos^2 C$$

$$= 2 - 2 \cos C \cos(A-B) + 2 \cos^2 C$$

$$= 2 - 2 \cos C [\cos(A-B) - \cos C]$$

$$= 2 - 2 \cos C [\cos(A-B) - \cos \{\pi - (A+B)\}]$$

$$= 2 - 2 \cos C [\cos(A-B) + \cos(A+B)]$$

$$= 2 - 4 \cos A \cos B \cos C$$

$$\cos^2 A + \cos^2 B + \cos^2 C = 1 - 2 \cos A \cos B \cos C$$

Thus, $\Delta = 0$

NAGEEN GROUP
tamso ma jyotirgamaya

CLICK TO DOWNLOAD NCERT EXEMPLAR SOLUTIONS

CLASS 12: MATHEMATICS (ALL CHAPTERS)





JOIN OUR WHATSAPP GROUPS

FOR FREE EDUCATIONAL
RESOURCES





JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

BENEFITS OF SOE WHATSAPP GROUPS

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.
- **Immediate Doubt Resolution:** The group facilitates quick clarification of doubts. Members can seek assistance by sending messages, and experts promptly respond to queries. This real-time interaction fosters a supportive learning environment where educators and students can exchange knowledge and address concerns effectively.
- **Access to Previous Years' Question Papers and Topper Answers:** The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.

- **Free and Unlimited Resources:** Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.
- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.
- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.
- **Interactive Learning Environment:** Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.
- **Access to Expert Guidance:** SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.

**Together, let's empower ourselves & Our Students and
inspire the next generation of learners.**

**Best Regards,
Team
School of Educators**

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Teachers Only)



[Click Here to Join](#)

Class 1



[Click Here to Join](#)

Class 2



[Click Here to Join](#)

Class 3



[Click Here to Join](#)

Class 4



[Click Here to Join](#)

Class 5



[Click Here to Join](#)

Class 6



[Click Here to Join](#)

Class 7



[Click Here to Join](#)

Class 8



[Click Here to Join](#)

Class 9



[Click Here to Join](#)

Class 10



[Click Here to Join](#)

Class 11 (Science)



[Click Here to Join](#)

Class 11 (Humanities)



[Click Here to Join](#)

Class 11 (Commerce)



[Click Here to Join](#)

Class 12 (Science)



[Click Here to Join](#)

Class 12 (Humanities)



[Click Here to Join](#)

Class 12 (Commerce)



[Click Here to Join](#)

Kindergarten

Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only)

Secondary Groups (IX & X)



[Click Here to Join](#)

SST



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Science



[Click Here to Join](#)

English



[Click Here to Join](#)

Hindi-A



[Click Here to Join](#)

IT Code-402



[Click Here to Join](#)

Hindi-B



[Click Here to Join](#)

Artificial Intelligence

Senior Secondary Groups (XI & XII For Teachers Only)



[Click Here to Join](#)

Physics



[Click Here to Join](#)

Chemistry



[Click Here to Join](#)

English



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Biology



[Click Here to Join](#)

Accountancy



[Click Here to Join](#)

Economics



[Click Here to Join](#)

BST



[Click Here to Join](#)

History



[Click Here to Join](#)

Geography



[Click Here to Join](#)

Sociology



[Click Here to Join](#)

Hindi Elective



[Click Here to Join](#)

Hindi Core



[Click Here to Join](#)

Home Science



[Click Here to Join](#)

Sanskrit



[Click Here to Join](#)

Psychology



[Click Here to Join](#)

Political Science



[Click Here to Join](#)

Painting



[Click Here to Join](#)

Vocal Music



[Click Here to Join](#)

Comp. Science



[Click Here to Join](#)

IP



[Click Here to Join](#)

Physical Education



[Click Here to Join](#)

APP. Mathematics



[Click Here to Join](#)

Legal Studies



[Click Here to Join](#)

Entrepreneurship



[Click Here to Join](#)

French



[Click Here to Join](#)

IT



[Click Here to Join](#)

Artificial Intelligence

Other Important Groups (For Teachers & Principal's)



[Click Here to Join](#)

Principal's Group



[Click Here to Join](#)

Teachers Jobs



[Click Here to Join](#)

IIT/NEET

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Students Only)



[Click Here to Join](#)

Class 1



[Click Here to Join](#)

Class 2



[Click Here to Join](#)

Class 3



[Click Here to Join](#)

Class 4



[Click Here to Join](#)

Class 5



[Click Here to Join](#)

Class 6



[Click Here to Join](#)

Class 7



[Click Here to Join](#)

Class 8



[Click Here to Join](#)

Class 9



[Click Here to Join](#)

Class 10



[Click Here to Join](#)

Class 11 (Science)



[Click Here to Join](#)

Class 11 (Humanities)



[Click Here to Join](#)

Class 11 (Commerce)



[Click Here to Join](#)

Class 12 (Science)



[Click Here to Join](#)

Class 12 (Humanities)



[Click Here to Join](#)

Class 12 (Commerce)



[Click Here to Join](#)

**Artificial Intelligence
(VI TO VIII)**

Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only) Secondary Groups (IX & X)



[Click Here to Join](#)

SST



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Science



[Click Here to Join](#)

English



[Click Here to Join](#)

Hindi



[Click Here to Join](#)

IT Code



[Click Here to Join](#)

Artificial Intelligence

Senior Secondary Groups (XI & XII For Students Only)



[Click Here to Join](#)

Physics



[Click Here to Join](#)

Chemistry



[Click Here to Join](#)

English



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Biology



[Click Here to Join](#)

Accountancy



[Click Here to Join](#)

Economics



[Click Here to Join](#)

BST



[Click Here to Join](#)

History



[Click Here to Join](#)

Geography



[Click Here to Join](#)

Sociology



[Click Here to Join](#)

Hindi Elective



[Click Here to Join](#)

Hindi Core



[Click Here to Join](#)

Home Science



[Click Here to Join](#)

Sanskrit



[Click Here to Join](#)

Psychology



[Click Here to Join](#)

Political Science



[Click Here to Join](#)

Painting



[Click Here to Join](#)

Music



[Click Here to Join](#)

Comp. Science



[Click Here to Join](#)

IP



[Click Here to Join](#)

Physical Education



[Click Here to Join](#)

APP. Mathematics



[Click Here to Join](#)

Legal Studies



[Click Here to Join](#)

Entrepreneurship



[Click Here to Join](#)

French



[Click Here to Join](#)

IT



[Click Here to Join](#)

AI



[Click Here to Join](#)

IIT/NEET



[Click Here to Join](#)

CUET

Groups Rules & Regulations:

To maximize the benefits of these WhatsApp groups, follow these guidelines:

1. Share your valuable resources with the group.
2. Help your fellow educators by answering their queries.
3. Watch and engage with shared videos in the group.
4. Distribute WhatsApp group resources among your students.
5. Encourage your colleagues to join these groups.

Additional notes:

1. Avoid posting messages between 9 PM and 7 AM.
2. After sharing resources with students, consider deleting outdated data if necessary.
3. It's a NO Nuisance groups, single nuisance and you will be removed.
 - No introductions.
 - No greetings or wish messages.
 - No personal chats or messages.
 - No spam. Or voice calls
 - Share and seek learning resources only.

Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.

Join Premium WhatsApp Groups Ultimate Educational Resources!!

Join our premium groups and just Rs. 1000 and gain access to all our exclusive materials for the entire academic year. Whether you're a student in Class IX, X, XI, or XII, or a teacher for these grades, Artham Resources provides the ultimate tools to enhance learning. Pay now to delve into a world of premium educational content!

[Click here for more details](#)



Click Here to Join

Class 9



Click Here to Join

Class 10



Click Here to Join

Class 11



Click Here to Join

Class 12

📢 Don't Miss Out! Elevate your academic journey with top-notch study materials and secure your path to top scores! Revolutionize your study routine and reach your academic goals with our comprehensive resources. Join now and set yourself up for success! 🇧🇩🌟

Best Wishes,

Team

School of Educators & Artham Resources

SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL



Artificial Intelligence



Beauty & Wellness




Design Thinking & Innovation



Financial Literacy



Handicrafts



Information Technology



Marketing/Commercial Application




Mass Media - Being Media Literate




Travel & Tourism




Coding



Data Science (Class VIII only)




Augmented Reality / Virtual Reality



Digital Citizenship




Life Cycle of Medicine & Vaccine



Things you should know about keeping Medicines at home




What to do when Doctor is not around



Humanity & Covid-19



Blue Pottery



Pottery



Block Printing




Food



Food Preservation



Baking



Herbal Heritage



Khadi




Mask Making




Mass Media



Making of a Graphic Novel



Kashmiri Embroidery



Embroidery




Rockets



Satellites



Application of Satellites




Photography

SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX – X)



Retail



Information Technology




Security




Automotive




Introduction To Financial Markets



Introduction To Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking & Insurance



Marketing & Sales



Health Care



Apparel



Multi Media



Multi Skill Foundation Course



Artificial Intelligence



Physical Activity Trainer



Data Science



Electronics & Hardware (NEW)




Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)




Design Thinking & Innovation (NEW)

SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI – XII)



Retail



Information Technology



Web Application



Automotive



Financial Markets Management



Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking



Marketing




Health Care



Insurance




Horticulture



Typography & Comp.
Application




Geospatial Technology



Electrical Technology



Electronic Technology




Multi-Media




Taxation




Cost Accounting




Office Procedures & Practices




Shorthand (English)




Shorthand (Hindi)




Air-Conditioning & Refrigeration




Medical Diagnostics




Textile Design




Design




Salesmanship



Business Administration



Food Nutrition & Dietetics




Mass Media Studies



Library & Information Science



Fashion Studies



Applied Mathematics



Yoga



Early Childhood Care & Education




Artificial Intelligence




Data Science



Physical Activity Trainer(new)





Land Transportation Associate (NEW)



Electronics & Hardware (NEW)



Design Thinking & Innovation (NEW)



- Pdf Purchase

- Print Purchase

- Amazon Print Purchase



Scan QR Code to join Telegram Groups & Channels for more free resources.

